ELSEVIER

Hearing Research 186 (2003) 95

HEARING RESEARCH

www.elsevier.com/locate/heares

Author Index Volume 186

Allen, P.D., Burkard, R.F., Ison, J.R. and Walton, J.P.
Impaired gap encoding in aged mouse inferior colliculus at moderate but not high stimulus levels (186) 17
Azuma, H., see Higashiyama, K. (186) 1

Bauer, E., see Murakami, S.L. (186) 47
Behnam, S.E. and Zeng, F.-G.
Noise improves suprathreshold discrimination in cochlear-implant listeners (186) 91
Burkard, R.F., see Allen, P.D. (186) 17

Cunningham, L.L., see Murakami, S.L. (186) 47

Draganova, R., see Ross, B. (186) 57

Groh, D., see Popelar, J. (186) 75

Higashiyama, K., Takeuchi, S., Azuma, H., Sawada, S., Yamakawa, K., Kakigi, A. and Takeda, T.
Bumetanide-induced enlargement of the intercellular space in the stria vascularis critically depends on Na^+ transport (186) 1
Husain, K., see Kelly, T.C. (186) 10

Ison, J.R., see Allen, P.D. (186) 17

Kakigi, A., see Higashiyama, K. (186) 1
Kelly, T.C., Whitworth, C.A., Husain, K. and Rybak, L.P.
Aminoguanidine reduces cisplatin ototoxicity (186) 10

Ladrech, S., Lenoir, M., Ruel, J. and Puel, J.-L.
Microtubule-associated protein 2 (MAP2) expression during synaptic plasticity in the guinea pig cochlea (186) 85
Lenoir, M., see Ladrech, S. (186) 85
Lewis, E.R. and van Dijk, P.
New variations on the derivation of spectro-temporal receptive fields for primary auditory afferent axons (186) 30

Mazelova, J., see Popelar, J. (186) 75
Murakami, S.L., Cunningham, L.L., Werner, L.A., Bauer, E., Pujol, R., Raible, D.W. and Rubel, E.W.
Developmental differences in susceptibility to neomycin-induced hair cell death in the lateral line neuromasts of zebrafish (*Danio rerio*) (186) 47

Nakashima, T., see Yamamoto, H. (186) 69

Pantev, C., see Ross, B. (186) 57
Picton, T.W., see Ross, B. (186) 57
Popelar, J., Groh, D., Mazelova, J. and Syka, J.
Cochlear function in young and adult Fischer 344 rats (186) 75
Puel, J.-L., see Ladrech, S. (186) 85
Pujol, R., see Murakami, S.L. (186) 47

Raible, D.W., see Murakami, S.L. (186) 47
Ross, B., Draganova, R., Picton, T.W. and Pantev, C.
Frequency specificity of 40-Hz auditory steady-state responses (186) 57
Rubel, E.W., see Murakami, S.L. (186) 47
Ruel, J., see Ladrech, S. (186) 85
Rybak, L.P., see Kelly, T.C. (186) 10

Sawada, S., see Higashiyama, K. (186) 1
Sone, M., see Yamamoto, H. (186) 69
Syka, J., see Popelar, J. (186) 75

Takeda, T., see Higashiyama, K. (186) 1
Takeuchi, S., see Higashiyama, K. (186) 1
Tominaga, M., see Yamamoto, H. (186) 69

van Dijk, P., see Lewis, E.R. (186) 30

Walton, J.P., see Allen, P.D. (186) 17
Werner, L.A., see Murakami, S.L. (186) 47
Whitworth, C.A., see Kelly, T.C. (186) 10

Yamakawa, K., see Higashiyama, K. (186) 1
Yamamoto, H., Tominaga, M., Sone, M. and Nakashima, T.
Contribution of stapedial artery to blood flow in the cochlea and its surrounding bone (186) 69

Zeng, F.-G., see Behnam, S.E. (186) 91

doi:10.1016/S0378-5955(03)-00356-3

ELSEVIER

Hearing Research 186 (2003) 97–98

HEARING RESEARCH

www.elsevier.com/locate/heares

Subject Index Volume 186

Aging
Temporal resolution; Recovery (Allen, P.D. (186) 17)

Amiloride
Loop diuretic; Na^+-K^+-$2Cl^-$ cotransporter; Perilymph; Endolymph (Higashiyama, K. (186) 1)

α-Amino-3-hydroxy-5-methyl-4-isoxazole propionic acid
Cochlea; Auditory neuron; Regeneration; Excitotoxicity (Ladrech, S. (186) 85)

Aminoglycoside
Ototoxicity; Critical period; Apoptosis; Hearing loss; Deafness (Murakami, S.L. (186) 47)

Aminoguanidine
Ototoxicity; Cisplatin; Nitric oxide; Inducible nitric oxide synthase; Free radical; Malondialdehyde (Kelly, T.C. (186) 10)

Amphibian papilla
Wiener kernel; Peripheral tuning; Suppression; Frog; Basilar papilla (Lewis, E.R. (186) 30)

Amplitude modulation
Auditory steady-state responses; Frequency specificity; Primary auditory cortex; Magnetoencephalography (Ross, B. (186) 57)

Anterior inferior cerebellar artery
Stapedial artery; Autoregulation; Rebound phenomenon of blood flow; Laser-Doppler flowmetry; Sprague–Dawley rat (Yamamoto, H. (186) 69)

Apoptosis
Ototoxicity; Critical period; Hearing loss; Aminoglycoside; Deafness (Murakami, S.L. (186) 47)

Auditory brainstem response threshold
Fischer 344 rat; Low-frequency hearing loss; Otoacoustic emission; Tympanometry (Popelar, J. (186) 75)

Auditory neuron
Cochlea; α-Amino-3-hydroxy-5-methyl-4-isoxazole propionic acid; Regeneration; Excitotoxicity (Ladrech, S. (186) 85)

Auditory steady-state responses
Frequency specificity; Amplitude modulation; Primary auditory cortex; Magnetoencephalography (Ross, B. (186) 57)

Autoregulation
Stapedial artery; Anterior inferior cerebellar artery; Rebound phenomenon of blood flow; Laser-Doppler flowmetry; Sprague–Dawley rat (Yamamoto, H. (186) 69)

Basilar papilla
Wiener kernel; Peripheral tuning; Suppression; Frog; Amphibian papilla (Lewis, E.R. (186) 30)

Cisplatin
Ototoxicity; Aminoguanidine; Nitric oxide; Inducible nitric oxide synthase; Free radical; Malondialdehyde (Kelly, T.C. (186) 10)

Cochlea
Auditory neuron; α-Amino-3-hydroxy-5-methyl-4-isoxazole propionic acid; Regeneration; Excitotoxicity (Ladrech, S. (186) 85)

Cochlear implant
Noise; Stochastic resonance; Harmonic complex (Behnam, S.E. (186) 91)

Critical period
Ototoxicity; Apoptosis; Hearing loss; Aminoglycoside; Deafness (Murakami, S.L. (186) 47)

Deafness
Ototoxicity; Critical period; Apoptosis; Hearing loss; Aminoglycoside (Murakami, S.L. (186) 47)

Endolymph
Loop diuretic; Na^+-K^+-$2Cl^-$ cotransporter; Amiloride; Perilymph (Higashiyama, K. (186) 1)

Excitotoxicity
Cochlea; Auditory neuron; α-Amino-3-hydroxy-5-methyl-4-isoxazole propionic acid; Regeneration (Ladrech, S. (186) 85)

Fischer 344 rat
Auditory brainstem response threshold; Low-frequency hearing loss; Otoacoustic emission; Tympanometry (Popelar, J. (186) 75)

Free radical
Ototoxicity; Cisplatin; Aminoguanidine; Nitric oxide; Inducible nitric oxide synthase; Malondialdehyde (Kelly, T.C. (186) 10)

Frequency specificity
Auditory steady-state responses; Amplitude modulation; Primary auditory cortex; Magnetoencephalography (Ross, B. (186) 57)

Frog
Wiener kernel; Peripheral tuning; Suppression; Amphibian papilla; Basilar papilla (Lewis, E.R. (186) 30)

Harmonic complex
Noise; Stochastic resonance; Cochlear implant (Behnam, S.E. (186) 91)

doi:10.1016/S0378-5955(03)-00357-5

Hearing loss
Ototoxicity; Critical period; Apoptosis; Aminoglycoside; Deafness (Murakami, S.L. (186) 47)

Inducible nitric oxide synthase
Ototoxicity; Cisplatin; Aminoguanidine; Nitric oxide; Free radical; Malondialdehyde (Kelly, T.C. (186) 10)

Laser-Doppler flowmetry
Stapedial artery; Anterior inferior cerebellar artery; Autoregulation; Rebound phenomenon of blood flow; Sprague–Dawley rat (Yamamoto, H. (186) 69)

Loop diuretic
Na^+-K^+-$2Cl^-$ cotransporter; Amiloride; Perilymph; Endolymph (Higashiyama, K. (186) 1)

Low-frequency hearing loss
Fischer 344 rat; Auditory brainstem response threshold; Otoacoustic emission; Tympanometry (Popelar, J. (186) 75)

Magnetoencephalography
Auditory steady-state responses; Frequency specificity; Amplitude modulation; Primary auditory cortex (Ross, B. (186) 57)

Malondialdehyde
Ototoxicity; Cisplatin; Aminoguanidine; Nitric oxide; Inducible nitric oxide synthase; Free radical (Kelly, T.C. (186) 10)

Na^+-K^+-$2Cl^-$ cotransporter
Loop diuretic; Amiloride; Perilymph; Endolymph (Higashiyama, K. (186) 1)

Nitric oxide
Ototoxicity; Cisplatin; Aminoguanidine; Inducible nitric oxide synthase; Free radical; Malondialdehyde (Kelly, T.C. (186) 10)

Noise
Stochastic resonance; Harmonic complex; Cochlear implant (Behnam, S.E. (186) 91)

Otoacoustic emission
Fischer 344 rat; Auditory brainstem response threshold; Low-frequency hearing loss; Tympanometry (Popelar, J. (186) 75)

Ototoxicity
Cisplatin; Aminoguanidine; Nitric oxide; Inducible nitric oxide synthase; Free radical; Malondialdehyde (Kelly, T.C. (186) 10)

Critical period; Apoptosis; Hearing loss; Aminoglycoside; Deafness (Murakami, S.L. (186) 47)

Perilymph
Loop diuretic; Na^+-K^+-$2Cl^-$ cotransporter; Amiloride; Endolymph (Higashiyama, K. (186) 1)

Peripheral tuning
Wiener kernel; Suppression; Frog; Amphibian papilla; Basilar papilla (Lewis, E.R. (186) 30)

Primary auditory cortex
Auditory steady-state responses; Frequency specificity; Amplitude modulation; Magnetoencephalography (Ross, B. (186) 57)

Rebound phenomenon of blood flow
Stapedial artery; Anterior inferior cerebellar artery; Autoregulation; Laser-Doppler flowmetry; Sprague–Dawley rat (Yamamoto, H. (186) 69)

Recovery
Aging; Temporal resolution (Allen, P.D. (186) 17)

Regeneration
Cochlea; Auditory neuron; α-Amino-3-hydroxy-5-methyl-4-isoxazole propionic acid; Excitotoxicity (Ladrech, S. (186) 85)

Sprague–Dawley rat
Stapedial artery; Anterior inferior cerebellar artery; Autoregulation; Rebound phenomenon of blood flow; Laser-Doppler flowmetry (Yamamoto, H. (186) 69)

Stapedial artery
Anterior inferior cerebellar artery; Autoregulation; Rebound phenomenon of blood flow; Laser-Doppler flowmetry; Sprague–Dawley rat (Yamamoto, H. (186) 69)

Stochastic resonance
Noise; Harmonic complex; Cochlear implant (Behnam, S.E. (186) 91)

Suppression
Wiener kernel; Peripheral tuning; Frog; Amphibian papilla; Basilar papilla (Lewis, E.R. (186) 30)

Temporal resolution
Aging; Recovery (Allen, P.D. (186) 17)

Tympanometry
Fischer 344 rat; Auditory brainstem response threshold; Low-frequency hearing loss; Otoacoustic emission (Popelar, J. (186) 75)

Wiener kernel
Peripheral tuning; Suppression; Frog; Amphibian papilla; Basilar papilla (Lewis, E.R. (186) 30)